Synergy
nutrition

PREMIUM

Feed Premixes Range



Toxi Fix®

Toxin Binder Formulation

High Grade Bentonite Clay

BEST FOR
- ✓ DAIRY
- ✓ POULTRY

CONSTITUENTS

- Aluminum Bentonite
- Magnesium Bentonite
- Sodium Bentonite
- Potassium Bentonite

ADVANTAGES

- No binding affinity for nutrients
- Low effective inclusion rate in feed
- Can bind a wide range of mycotoxins
- Biodegradable and environmentally friendly
- High stability over a wide range of conditions
- Rapid and uniform dispersion in feed during mixing

DOSAGE INSTRUCTIONS

APPLICATION	DOSAGE
For Finished Feed	20-25 Grams/50 Kg Bag of feed
For Feed Mills	500-1,000 Grams/Ton of Feed
For Medium Dairy Yielders	10 Grams/Head/Day
For High Dairy Yielders	15 Grams/Head/Day

mfg date:

Use within 3 years

Toxi Fix+®

Toxin Binder Formulation

Yeast Cell Wall Combination

BEST FOR
- ✓ DAIRY
- ✓ POULTRY

CONSTITUENTS

- Yeast Specie (Saccharomyces) : 380,000 mg (38%)
- Aluminum Bentonite
- Magnesium Bentonite
- Sodium Bentonite
- Potassium Bentonite

INDICATIONS

- Anorexia with lowered growth rate
- Decrease in egg production
- Increase of mortality rate
- Change in quality of nutrients
- Decrease in dry matter intake
- Reduced feed conversion
- Increase in disease incidents

DOSAGE INSTRUCTIONS

APPLICATION	DOSAGE
For Finished Feed	20-25 Grams/50 Kg Bag of feed
For Feed Mills	500-1,000 Grams/Ton of Feed
For Medium Dairy Yielders	10 Grams/Head/Day
For High Dairy Yielders	15 Grams/Head/Day

mfg date:

Use within 2 years

DCP MAX®

Dicalcium Phosphate

Premier Feed Premixes Product

BEST FOR
- ✓ DAIRY
- ✓ POULTRY

NUTRIENTS

Calcium (Ca)	28-30%
Phosphorus	9-12%

ADVANTAGES

- Supports strong bones and skeletal development
- Improves growth, productivity, and performance
- Enhances feed efficiency and nutrient utilization
- Strengthens eggshell quality and bone health
- Supports fertility and reproductive performance
- Prevents calcium and phosphorus deficiencies

DOSAGE INSTRUCTIONS

APPLICATION	DOSAGE
Cows/Buffaloes	75–100 grams/Day
Dry Animals	40–50 grams/Day
Calves/Goat	15–20 grams/Day
Layers	20–30 kg per ton of feed (2–3%)

mfg date:

Use within 3 years

Vitamino Gold®

Vitamins, Minerals & Amino Acids Combination
Premier Feed Premixes Product

COMPOSITION

Vitamin A	800,000 IU
Vitamin E	1,600 IU
Vitamin D3	200,000 IU
Vitamin B12	5 mg
Lysine	20,000 mg
Methionine	20,000 mg
Choline Chloride	20,000 mg
Selenium	1,000 mg
Calcium Chloride	40,000 mg
Potassium Chloride	1,000 mg
Cobalt Carbonate	40 mg
Magnesium Sulphate	5,000 mg
Manganese Sulphate	2,000 mg
Zinc Sulphate	3,000 mg
Ferrous Sulphate	5,000 mg
Copper Sulphate	1,500 mg
Sodium Chloride	10,000 mg
Crude Protein	15%
Sorbitol	10,000 mg
Dextrose	10,000 mg
Excipients	Q.S.

ADVANTAGES

- Increases milk yield.
- Optimizes energy level.
- Improves skeletal & muscular strength.
- Maintains the level of Vitamins, Minerals & Amino Acids.
- Optimum feed conversion for the best possible growth & production.

BEST FOR
DAIRY

DOSAGE INSTRUCTIONS

APPLICATION	DOSAGE
Cows/Buffaloes	75–100 grams/Day
Dry Animals	40–50 grams/Day
Calves/Goat	15–20 grams/Day

mfg date:

Use within 3 years

Dairy Min Gold®

High Potency Minerals Formulation

Premier Feed Premixes Product

BEST FOR **DAIRY**

COMPOSITION

Calcium	250 gm
Phosphate (PO4)	150 gm
Magnesium	45,000 mg
Sodium	45,000 mg
Ferrous	5,000 mg
Zinc	3,500 mg
Manganese	3,000 mg
Copper	2,000 mg
Cobalt	20 mg
Selenium	2,000 mg
Iodine	50 mg
Sodium Bicarbonate	1,000 mg
Excipients	Q.S.

ADVANTAGES

- Increases Milk & Meat production.
- Prevents mineral deficiencies.
- Increases metabolic activity.
- Prevents electrolyte imbalance.
- Prevents stress conditions.
- Boosts Immune System.

DOSAGE INSTRUCTIONS

APPLICATION	DOSAGE
Cows/Buffaloes	75–100 grams/Day
Dry Animals	40–50 grams/Day
Calves/Goat	15–20 grams/Day

mfg date:

Use within 3 years

Stomi Buff®

Rumen Buffer Formulation

PH Stabilizer

BEST FOR DAIRY

COMPOSITION

Sodium Bicarbonate	500,000 mg
Calcium Oxide	300,000 mg
Magnesium Oxide	30,000 mg
Sodium Oxide	50,000 mg
Aluminum Oxide	20,000 mg
Excipients	Q.S

DOSAGE INSTRUCTIONS

APPLICATION	DOSAGE
Cows/Buffaloes	50–100 grams/Day
Dry Animals	30–40 grams/Day
Sheep/Goat	10 grams/Day

ADVANTAGES

- Treats Acidosis.
- Increased productivity.
- Improves dry matter intake.
- Boosts milk yield & milk fat content.
- Provides a long-lasting buffering effect due to gradual pH release.

mfg date:

Use within 3 years

GLUCORA +

Glucose Precursors

High Potency Energy Booster

BEST FOR
DAIRY

INGREDIENTS

- **5%** Glucose
- **30%** Glycerine
- **25%** Propylene Glycole
- **5%** Sorbitol

DOSAGE INSTRUCTIONS

Cow (3 weeks before calving)	50-150 ml/day
Cow (10 weeks after calving)	150-250 ml/day
For Regular use in High Yielding Cows	100-150 ml/day
For Treatment	300-400 ml/day

Keep in a cool and dark place
Temperature: 10–35°C

mfg date:
Use within 18 months

